

INFORMATION REPORT

COUNTRY USSR

DATE DISTR. 20 May 52

SUBJECT Soviet AAA Fire Control Equipment - PUAZO-7

NO. OF PAGES 1

PLACE
ACQUIRED

NO. OF ENCLS.
(LISTED BELOW)

DATE
ACQUIRED

SUPPLEMENT TO
REPORT NO.

DATE OF INF

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793 AND 794, OF THE U.S. CODE, AS AMENDED. ITS TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. THE REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

25X1X

25X1X

25X1X

1. In 1946, my organization ran a familiarization course with the PUAZO-7 while stationed at [redacted] of Leningrad. The PUAZO-7 was a modification of the PUAZO-3. It was basically the same piece of equipment except that it had been modified as follows:
 - (a) The number of operators had been reduced from four to three. I do not remember the functions that were combined to release one man.
 - (b) The course curves and slant range station (Krivyve Kursa I Dal'Nosti) had been modified so that the different ballistics drums could be changed automatically by pulling a lever. This would switch the drum to another position.
 - (c) Permanent seating arrangements were added for the three operators.
2. I have no further information except that the PUAZO-7 was never issued to troops as it was not satisfactory in performance.

-end-

~~CLASSIFICATION SECRET/SECURITY INFORMATION~~

STATE	X	NAVY	X	DEC	X	DISTRIBUTION									
ARMY	X	AIR	X	FBI	X		OSI	EV							